

Indiana State Department of Health

| | | | | |
|---|--|---|--|--|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 004016 | (X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____ | (X3) DATE SURVEY COMPLETED C 07/29/2014 |
| NAME OF PROVIDER OR SUPPLIER MONROE PLACE | | STREET ADDRESS, CITY, STATE, ZIP CODE 2770 S ADAMS RD BLOOMINGTON, IN 47403 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETE DATE |
| R 000 | <p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00152363.</p> <p>Complaint IN00152363 - Unsubstantiated due to lack of evidence.</p> <p>Survey date: July 29,2014</p> <p>Facility number: 004016 Provider number: 004016 AIM number: N/A</p> <p>Survey team: Susan Worsham, RN, TC</p> <p>Census bed type: Residential: 58 Total: 58</p> <p>Census payor type: Medicare: n/a Medicaid: n/a Other: 58 Total: 58</p> <p>Sample: 03</p> <p>Monroe Place was found to be in compliance with 410 IAC 16.2 -5 in regard to the Investigation of Complaint IN00152363.</p> <p>Quality Review 07/30/14 by Lisa McColly</p> | R 000 | | |

Indiana State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE